



RUJUTA CORPORATION

Address: G-14B, Devkaran Mansion, Grnd Flr,
Pathakwadi, Princess Street, Mumbai-400002
Karan Sanghvi : 9769789105 / 8169580098
Nilesh Sanghvi : 9820825440 / 9082463426
Email: rujutaent@gmail.com / rujutaco@gmail.com



AnFix[®]
fix for eternity

AnFix Cable ties and Accessories

Broader solutions for effective fastening



AnFix Cable Ties And Accessories


Name of Hassle Free and Reliable Fastening

Our comprehensive range of high-quality nylon cable ties with best in class tensile strength and endurance, we are most preferred by industry worldwide. Safety and Hassle free Solutions for Industries like Electricals, Electronics, Aviations, Marine, Solar Power, Gas and Oil etc.

Available Type of Nylon Ties :	Available sizes and tensile strength as per requirement of industries:		
AnFix - Non Releasable Cable Ties	AnFix 100 * 1.8	AnFix 250 * 3.6	AnFix 550 * 7.6
AnFix - UV Resistance Cable Ties	AnFix 100 * 2.2	AnFix 300 * 3.6	AnFix 400 * 4.8
AnFix - Heat Stabilised Cable Ties	AnFix 100 * 2.5	AnFix 200 * 4.8	AnFix 450 * 4.8
AnFix - Fire Retardant Cable Ties	AnFix 150 * 2.5	AnFix 300 * 4.8	AnFix 500 * 4.8
AnFix - Coloured Cable Ties	AnFix 150 * 3.6	AnFix 350 * 4.8	AnFix 300 * 7.6
	AnFix 200 * 3.6	AnFix 450 * 7.6,	
All above Cable Ties are available in various sizes,tensile strength and colours.	Tensile: 18 LBS , 40 LBS, 50 LBS, 120 LBS		

AnFix Standard Nylon Cable Ties

UL Approved High-quality of nylon 66 used to produce our Cable Ties for best strength and hassle free solution for binding. Self-locking head, available in bags of 50, 100, 500,1000 as per preference. With our wide range of cable ties, we ensure you about the ease of application, affordable costing and firm fastening over time.



AnFix Cable Ties & Accessories

Cable ties and accessories manufactured by us are UL, CE and ROHS approved. We are an ISO certified organization and strictly adhere to international quality standards. Our products are manufactured using high-quality raw materials which are inspected by our quality inspectors to ensure they meet our quality standards

Nylon Cable Ties White / Black Colour

SIZES	CABLE TIE CODE	METALLIC	BUNDLE DIAMETER		LBS	OPT TEM		PACKAGING PER PACKET NOS.	PACKAGING PER CARTON PKTS
			MIN	MAX	STENSILE	MAX	MIN		
100	ANFIX 100* 1.8	Non Metallic	2(0.079)	35(1.378)	(80)18	85	-10	100	650
100	ANFIX 100* 2.2	Non Metallic	2(0.079)	35(1.378)	(80)18	85	-10	100	600
100	ANFIX 100* 2.5	Non Metallic	2(0.079)	35(1.378)	(80)18	85	-10	100	600
150	ANFIX 150* 2.5	Non Metallic	2(0.079)	35(1.378)	(80)18	85	-10	100	350
150	ANFIX 150* 3.6	Non Metallic	2(0.079)	98(3.858)	(178)40	85	-10	100	250
200	ANFIX 200* 3.6	Non Metallic	4(0.157)	98(3.858)	(178)40	85	-10	100	200
200	ANFIX 200* 4.8	Non Metallic	4(0.157)	98(3.858)	(220)50	85	-10	100	150
250	ANFIX 250* 3.6	Non Metallic	4(0.157)	98(3.858)	(178)40	85	-10	100	170
300	ANFIX 300* 3.6	Non Metallic	4(0.157)	98(3.858)	(178)40	85	-10	100	140
300	ANFIX 300* 4.8	Non Metallic	4(0.157)	98(3.858)	(220)50	85	-10	100	120
300	ANFIX 300* 7.6	Non Metallic	4(0.157)	98(3.858)	(530)120	85	-10	100	80
350	ANFIX 350* 4.8	Non Metallic	4(0.157)	98(3.858)	(220)50	85	-10	100	100
400	ANFIX 400* 4.8	Non Metallic	4(0.157)	98(3.858)	(220)50	85	-10	100	100
450	ANFIX 450* 4.8	Non Metallic	4(0.157)	98(3.858)	(220)50	85	-10	100	90
450	ANFIX 450*7.6	Non Metallic	4(0.157)	110(4.33)	(530)120	85	-10	100	60
500	ANFIX 500* 4.8	Non Metallic	4(0.157)	98(3.858)	(220)50	85	-10	100	70
550	ANFIX 550* 7.6	Non Metallic	4(0.157)	140(5.51)	(530)120	85	-10	100	35



Non-Releasable Cable Ties:

The non-releasable nylon cable ties manufactured by us have successfully replaced other old fashioned binding instruments such as rubber bands, wires, adhesive tape and ropes.

Our non-releasable nylon cable ties are available in a customized range of sizes starting from 75 MM (3 inches) to 1200 MM (4 feet), with a tensile strength of up to 120 kg(f). Ideal for industries like Automobile, Drug and pharmacy, oil, gas retail stores and telecom we are proudly serving many prime industries with our outstanding products.

UV Resistant Cable Ties:

UV Resistant Cable Ties manufactured by **Anantam Impex** are UV stabilized in the true sense as we manufacture them by adding Ultraviolet stabilizers.

These UL approved cable ties are the perfect option for cable bunching in outdoor weather-resistant applications. Our UV protected cable ties are being used by our customers across the globe in applications ranging from solar power projects, windmills, telecommunication towers and several other outdoor uses.

In addition to manufacturing, UV stabilized cable ties we widely use UL 94-V2 Polyamide 6.6 material. It is a self-locking, economical and non-releasable way of cable bunching

Heat Stabilised Cable Ties:

Heat stabilized cable tie by **Anantam Impex** are ideal for cable bunching high-temperature applications. These cable ties can resist even in the high-temperature area of up to + 125°C.

Ideal for industries like Aviation, electrical, ship, windmill and locomotive these cable ties are manufactured using nylon 66 and are UL and CE recognized. Our heat stabilized cable ties are being used by our customers worldwide and are trusted for its heat resistant quality.

Coloured Cable ties:

Coloured cable ties are preferred for its identification quality. Whether it's about wire identification in the electrical installation or bag identification in drug and pharma industries, these coloured cable ties are suitable for applications that need some type of differentiation.

These are mostly used by industries like- chemical & refineries, Dairy and food processing or drug and pharmacy. Available in all colours these cable ties can resist the heat of upto -40°C.

Fire Retardant Cable Ties:

Anantam Impex is the prominent supplier of cable ties that can be used for cable bunching in fire hazardous area or area where safety from fire is important.

Ideal for industries like oil, gas, offshore, Aviation, ship and marines, the self extinguish property of these cable ties does not allow the fire to travel further.