


# RIGHTLOCK

A PRODUCT BY RUJUTA CORPORATION

 **The Perfect Fix** 

India's No#1 Brand of Nylon Cable Ties

Rightlock offers the most comprehensive selection of cable tie sizes, materials and colors to meet the needs of customers. Our cable ties can be used in countless indoor, outdoor, and harsh environment applications.



HIGH  
TENSILE  
STRENGTH



VARIED  
TEMP  
RANGE



HALOGEN  
FREE



UL94V2  
FLAMMABLE  
PA66



MADE  
IN  
INDIA



**RUJUTA  
CORPORATION**

Address : 14, Tawawala Building, 36, Pathakwadi,  
Lohar Chawl, Mumbai-400002

Mobile No : 9082463426 , 8169580098, 9820825440, 9769789105

Landline : 022-44517539 Talkfree : \*7213

Website : [www.rujutaent.com](http://www.rujutaent.com)



## How it all Started ?

Rujuta Corporation, home to India's largest Nylon cable tie, is a prominent player in the industrial supplies sector. Established in 1986, with a commitment to quality and innovation, Rujuta Corporation has solidified its position as a trusted provider of cable tie solutions. Rujuta Corporation's journey began with a spark of entrepreneurial spirit, navigating through challenges and opportunities to emerge as a key player in the industry. The company's evolution reflects a blend of perseverance, vision, and adaptability. Rightlock Nylon cable ties are CE, RoHS & ISO certified meeting all India as well as international Standards.

## Introduction

Rightlock is India's No#1 Brand manufacturing High quality Nylon Cable ties. Rujuta Corporation stands as a beacon of excellence in the realm of Nylon cable ties, earning the prestigious title of India's largest manufacturer in this niche industry. With a rich history rooted in innovation and unwavering commitment to quality, Rujuta Corporation has continually evolved & expanded its offerings to meet the diverse needs of its customers.

## Vision & Mission

Driven by a vision to revolutionize cable tie solutions in India, Rujuta Corporation set out with a mission to deliver reliable, durable, & cost effective Nylon Cable Ties. The commitment to customer satisfaction and continuous improvement remains at the core of Rightlock's ethos. From humble beginnings to becoming a market leader, Rujuta Corporation has traversed a path marked by significant milestones and achievements. Rightlock has successfully served more than 1 lakh customers till date.

## Environmental Initiatives

Rujuta Corporation leads the charge in eco-friendly manufacturing practices. From utilizing renewable energy sources to implementing waste reduction programs.

LONG  
LASTING

STRONG

DURABLE



TRUST  
WORTHY

# RIGHTLOCK

## Types of Cable ties we Offer

### Non-Releasable Cable Ties

The non-releasable nylon cable ties manufactured by us have successfully replaced other old fashioned binding instruments such as rubber bands, wires, adhesive tape and ropes.

### UV Resistant Cable Ties

UV Resistant Cable Ties are manufactured by adding Ultraviolet stabilizers making them perfect option for cable bunching in outdoor weather resistant applications.

### Coloured Cable ties

Coloured cable ties are preferred for wire identification in the electrical installation or bag identification in drug & pharma industries, for applications that need some type of differentiation

### Fire Retardant Cable Ties

Self extinguish property of our Fire Retardant cable ties does not allow the fire to travel further which is for Ideal for industries like oil, gas, etc.

### Heat Stabilised Cable Ties

Ideal for cable bunching high-temperature applications. These cable ties can resist even in the high-temperature area of up to + 125°C.

## Unique Features

### Strength:

Our Nylon cable ties have high tensile strength.

### Flexibility:

Our Nylon cable ties are flexible and abrasion resistant.

### Heat resistance:

Our Nylon cable ties can withstand heat upto 85°C

### Chemical resistance:

Nylon cable ties are resistant to most chemicals, fuels, & lubricants.

### Flammability:

Our High Grade Nylon 6/6 cable ties meet UL94V-2 flammability ratings.

[www.rujutaent.com](http://www.rujutaent.com)

LONG  
LASTING

STRONG

DURABLE

TRUST  
WORTHY



# RIGHTLOCK

HIGH  
TENSILE  
STRENGTH



Rightlock Cable ties  
are made up of high  
tensile strength PA6.6  
material that can  
withstand a lot of  
force and stress



# RIGHTLOCK RAIN

VARIED  
TEMPERATURE  
RANGE

Rightlock Cable ties support varied temperature range from  $-10^{\circ}$  to  $+85^{\circ}\text{C}$ . Our ties can survive in harsh conditions like hot, cold & rains.

[www.rujutaent.com](http://www.rujutaent.com)



# RIGHTLOCK

HALOGEN  
FREE  
MATERIAL



Rightlock Cable ties are Halogen-free which are safer & better for the environment. This makes them especially useful in places where safety is a priority, like hospitals, airports, etc.

[www.rujutaent.com](http://www.rujutaent.com)



# RIGHTLOCK

**MATERIAL:**  
**PA66**  
**UL94-V2**  
**FLAMMABILITY**



Rightlock Cable ties are made of UL94V2 PA6.6 material which provides a safety feature by limiting the spread of fire in case of ignition



# RIGHTLOCK

**MATERIAL:  
PA66 UV  
RESISTANT**



**Rightlock Cable ties  
are made of UV  
resistant lab tested  
material which  
prevents the cable tie  
from degrading when  
exposed to sunlight**



[www.rujutaent.com](http://www.rujutaent.com)

# RIGHTLOCK

MADE  
IN  
INDIA



Rightlock Cable ties  
are made in india  
specializing in engineering  
products, offering a  
comprehensive range of  
cable ties in various sizes  
& types

[www.rujutaent.com](http://www.rujutaent.com)





## Storage & Installation

- For best results, Rightlock Cable Tie Installation Tool should be used to fasten and trim cable ties. A properly installed cable tie will be tightened and trimmed so the tail remains flush to the cable tie head.
- If the tail retracts more than 1 mm inside the head, the cable tie has been tightened more than recommended and may cause premature failure.
- Perfect temperature for a cable tie are 23°C and 50% Relative Humidity.
- A cable tie will remain supple as a result of the stable temperature and Relative Humidity.

## Guidelines

If cable ties are stored and used properly, cable ties will perform indefinitely by following these guidelines:

- Store cable ties indoors being careful to avoid extreme temperatures and low humidity. Never store cable ties outdoors or in a cold vehicle.
  - Always store cable ties in their original packaging.
  - Keep cable tie bags sealed shut and inspect the bag for any breakage.
  - Choose the correct size and tensile strength.
- The wrong tension will weaken the tie
- Follow a scheduled inventory rotation, using the oldest cable ties first.

## Applications

- Automobile
- Pharma
- Telecom
- Oil, Gas & Mining
- Windmill
- Aerospace
- Construction
- Healthcare
- Food



LONG  
LASTING

STRONG

DURABLE



TRUST  
WORTHY

# RIGHTLOCK

"The Perfect Fix"

## Features

- Operating Temp: -10 to 85°C
- Material: PA66 UL94V2
- Wide Range Bundle Dia
- High Tensile Strength
- Halogen Free

## CERTIFICATIONS



Qty. 100 pcs

STRONG

LONG LASTING

TRUST WORTHY

DURABLE

| Product Code | Length in MM | Width in mm in MM | Length in Inch | Bundle Dia Min in mm | Bundle Dia Max in mm | Min Loop Tensile Strength |     |                |
|--------------|--------------|-------------------|----------------|----------------------|----------------------|---------------------------|-----|----------------|
|              |              |                   |                |                      |                      | LBS                       | KGF | List Price/Pkt |
| 100 X 1.8    | 100          | 1.8               | 4              | 3                    | 24                   | 18                        | 8   | ₹18.14         |
| 100 X 2.5    | 100          | 2.5               | 4              | 5                    | 24                   | 22                        | 10  | ₹26.44         |
| 150 X 2.5    | 150          | 2.5               | 6              | 5                    | 35                   | 22                        | 10  | ₹40.4          |
| 150 X 3.6    | 150          | 3.6               | 6              | 5                    | 35                   | 44                        | 18  | ₹64.19         |
| 200 X 2.5    | 200          | 2.5               | 8              | 5                    | 50                   | 22                        | 10  | ₹56.61         |
| 200 X 3.6    | 200          | 3.6               | 8              | 5                    | 50                   | 44                        | 18  | ₹81.14         |
| 200 X 4.8    | 200          | 4.8               | 8              | 5                    | 50                   | 50                        | 23  | ₹115.17        |
| 200 X 7.6    | 200          | 7.6               | 8              | 6                    | 50                   | 75                        | 35  | ₹205.26        |
| 250 X 3.6    | 250          | 3.6               | 10             | 5                    | 65                   | 44                        | 18  | ₹109.44        |
| 250 X 4.8    | 250          | 4.8               | 10             | 5                    | 65                   | 50                        | 23  | ₹145.39        |
| 300 X 3.6    | 300          | 3.6               | 12             | 5                    | 75                   | 44                        | 18  | ₹126.44        |
| 300 X 4.8    | 300          | 4.8               | 12             | 5                    | 75                   | 50                        | 23  | ₹177.38        |
| 300 X 7.6    | 300          | 7.6               | 12             | 6                    | 75                   | 75                        | 35  | ₹306.09        |
| 350 X 4.8    | 350          | 4.8               | 14             | 5                    | 85                   | 50                        | 23  | ₹207.15        |
| 400 X 4.8    | 400          | 4.8               | 16             | 5                    | 110                  | 50                        | 23  | ₹237.86        |
| 400 X 7.6    | 400          | 7.6               | 16             | 5                    | 110                  | 75                        | 35  | ₹408.01        |
| 450 X 4.8    | 450          | 4.8               | 18             | 5                    | 130                  | 50                        | 23  | ₹275.47        |
| 450 X 7.6    | 450          | 7.6               | 18             | 6                    | 130                  | 75                        | 35  | ₹479.38        |
| 500 X 4.8    | 500          | 4.8               | 20             | 6                    | 150                  | 50                        | 23  | ₹384.56        |
| 530 X 7.6    | 550          | 7.6               | 22             | 6                    | 160                  | 75                        | 35  | ₹593.08        |

## UNIQUE FEATURES

HIGH TENSILE STRENGTH



VARIED TEMP RANGE



HALOGEN FREE MATERIAL



UL94V2 FLAMMABLE PA66



UV RESISTANT MATERIAL



MADE IN INDIA



**RUJUTA**  
**CORPORATION**  
serving since 1986

## India's No#1 Manufacturer of Stainless Steel Cable Ties

**Add:** 14, Tawawala Building, 36, Pathakwadi,  
Ground Floor, Lohar Chawl,  
Mumbai - 400002


**Website:** [www.rujutaent.com](http://www.rujutaent.com)

**Email:** [rujutaent@gmail.com](mailto:rujutaent@gmail.com)

**Landline:** 022-44517539


**Mob:** 9769789105/8169580098

**Mob:** 9820825440/9082463426



### Product Range

- Stainless Steel Roller Lock Cable Ties SS304/ SS316 – Coated / Uncoated
- Stainless Steel Releasable Lock Cable Tie - Coated / Uncoated
- PVC Coated Bands and Buckles
- Sign Mounting Brackets
- Precut Assembled Band Straps
- Identification Systems
- Marker Plates and Tags
- Aluminium Die Cast Enclosures
- Fire Cable Clips and Saddles



## **COMPANY OVERVIEW**

### **About us**

*RUJUTA CORPORATION was established as a Solution Provider for Fixing and Support System Products to Industrial Applications. RUJUTA CORPORATION has since grown adequately with a pool of qualified and skilled personnel specializing in Industrial Support Systems and added Hazardous Area Product and Electrical Product Solutions to our capabilities. RUJUTA CORPORATION is exposed to a wide array of Electrical and Mechanical requirements of the consultants, contractors and wholesale vendors. Our aim is to become the Preferred Partner to industries such as Oil and Gas, Marine and Offshore, Industrial Construction, Telecommunication, Power Plants, Railway and other related Industrial users to meet their supply and requisition needs.*

### **Our Mission**

*To deliver Better Innovative Solutions to the industry key to our success. Being the best, we can be is our motto.*

### **Mission Statement**

*Our commitment is to bring quality solutions to the markets that we serve. Knowing the markets that we serve is the*

## **Stainless Steel Applications:**

- Refineries & Industries
- Oil & Petrochemical Communication
- Cable Installation
- Signals & Signages
- Communication
- Shipping



**The Conduit**



**Steel Pipe**



**Nets**



**Traffic Light**



**Fences**



**Bird spikes**

## **Stainless Steel Cable Ties**

Stainless steel cable ties are the most reliable and reputed brand delivering high quality engineered cable ties which provide solutions to all your clamping requirements. Cable ties are used in varied industries and perform host of other clamping solutions worldwide.

Stainless steel cable ties are uniquely designed and subjected to rigorous physical and chemical testing to ensure compliance with the international quality standards and safety of your clamping functions. The cable ties have burr free and rounded edges which makes them suitable for fast and easy applications. The cable ties are designed to withstand harsh environments and can be operated manually or by hand tool.

Cable ties are offered in both AISI 304 (EN DIN 1.4301) and AISI 316 (EN DIN 1.4401) stainless steel grade. The cable ties are available in coated & uncoated types. The cable ties can be used for indoor, outdoor and underground applications.

RUJUTA CORPORATION pioneers in providing engineering solutions including designing, testing, validation and stimulation that can modify standard clamping solutions or develop new solutions for your specific project needs.



## Stainless Steel Roller Ball Lock Cable Ties Uncoated


Stainless Steel Roller lock cable ties are uniquely designed for self-locking mechanism. The strong locking system incorporating a steel ball, burr free edges and the rigorous testing procedures makes them the ideal choice for fast and easy installations which can be operated manually or by hand tool safely.

### Product Features


Self-Locking ball lock design allows fast and easy installations Available in AISI 304 (EN DIN 1.4301) and AISI 316 (EN DIN 1.4401) stainless steel grade Sizes offered in (0.18") 4.6mm and (0.31") 7.9mm regular width and (0.47") 12mm heavy duty width Length as per customer's requirements without limits Suitable for Indoor and Outdoor applications High Strength, Corrosion resistant, Non-flammable, Non-toxic and UV- resistant UL under process, ROHS compliant according to EU directive

### Self ball lock Mechanism

#### 1. . Initial Position




#### 2. . Final Lock Position



## Stainless Steel Roller Ball Lock Cable Ties Uncoated

### Technical Features

- Temperature range: -80°C to +550°C
- Fireproof
- UV resistant
- Our Cable Ties have a unique ball-locking mechanism that allows them to be easily & quickly installed and undone.
- High tensile strength
- Non-flammable
- Acid Resistant
- Corrosion Resistant
- Made in India
- SS304




| Part No.    | Material | Width   |       | Length  |       | Thickness |       | Minimum Loop Tensile Strength |     | 1 Packet Quantity |
|-------------|----------|---------|-------|---------|-------|-----------|-------|-------------------------------|-----|-------------------|
|             |          | in Inch | In mm | in Inch | In mm | in Inch   | In mm | N                             | lbs |                   |
| RC-100X4.6  | SS304    | 0.18    | 4.6   | 4       | 100   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-150X4.6  | SS304    | 0.18    | 4.6   | 6       | 150   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-200X4.6  | SS304    | 0.18    | 4.6   | 8       | 200   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-250X4.6  | SS304    | 0.18    | 4.6   | 10      | 250   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-300X4.6  | SS304    | 0.18    | 4.6   | 12      | 300   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-360X4.6  | SS304    | 0.18    | 4.6   | 14      | 360   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-400X4.6  | SS304    | 0.18    | 4.6   | 16      | 400   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-450X4.6  | SS304    | 0.18    | 4.6   | 18      | 450   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-500X4.6  | SS304    | 0.18    | 4.6   | 20      | 500   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-680X4.6  | SS304    | 0.18    | 4.6   | 27      | 680   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-840X4.6  | SS304    | 0.18    | 4.6   | 33      | 840   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-1000X4.6 | SS304    | 0.18    | 4.6   | 39      | 1000  | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |

## Stainless Steel Roller Ball Lock Cable Type Ties coated

### Technical Features

- Temperature range: -80°C to +150°C
- Fireproof
- UV resistant
- Our Cable Ties have a unique ball-locking mechanism that allows them to be easily & quickly installed and undone.
- High tensile strength
- Non-flammable
- Non-toxic
- Halogen free
- Acid Resistant
- Corrosion Resistant
- Made in India
- SS304



| Part No.    | Material | Width   |       | Length  |       | Thickness |       | Minimum Loop Tensile Strength |     | 1 Packet Quantity |
|-------------|----------|---------|-------|---------|-------|-----------|-------|-------------------------------|-----|-------------------|
|             |          | in Inch | In mm | in Inch | In mm | in Inch   | In mm | N                             | lbs |                   |
| RC-100X4.6  | SS304    | 0.18    | 4.6   | 4       | 100   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-150X4.6  | SS304    | 0.18    | 4.6   | 6       | 150   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-200X4.6  | SS304    | 0.18    | 4.6   | 8       | 200   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-250X4.6  | SS304    | 0.18    | 4.6   | 10      | 250   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-300X4.6  | SS304    | 0.18    | 4.6   | 12      | 300   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-360X4.6  | SS304    | 0.18    | 4.6   | 14      | 360   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-400X4.6  | SS304    | 0.18    | 4.6   | 16      | 400   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-450X4.6  | SS304    | 0.18    | 4.6   | 18      | 450   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-500X4.6  | SS304    | 0.18    | 4.6   | 20      | 500   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-680X4.6  | SS304    | 0.18    | 4.6   | 27      | 680   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-840X4.6  | SS304    | 0.18    | 4.6   | 33      | 840   | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |
| RC-1000X4.6 | SS304    | 0.18    | 4.6   | 39      | 1000  | 0.01      | 0.25  | 600                           | 135 | 100 pcs           |

- **SS316 also available on Request**
- **Coated also available on Request**
- **7.9 mm | 12 mm | Other Widths Available on Request**
- **Other Lengths Available on Request**

# RUJUTA CORPORATION

Manufacturer

Office Address: 14, Tawawala Building, 36, Pathakwadi, Lohar Chawl, Mumbai - 400002

Contact No : 9082463426 , 8169580098, 9820825440, 9769789105

Landline : 022-44517539 Talkfree : \*7213

Website : [www.rujutaent.com](http://www.rujutaent.com) Email : [rujutaco@gmail.com](mailto:rujutaco@gmail.com)



## Rightlock High Quality Nylon Cable Ties Price List

| Size (mm)<br>L x W | Size<br>(Inch) | List Price<br>Per Packet | Carton<br>Packing |
|--------------------|----------------|--------------------------|-------------------|
| 100 X 1.8          | 4"             | ₹18.14                   | 800 pkts          |
| 100 X 2.5          | 4"             | ₹26.44                   | 500 pkts          |
| 150 X 2.5          | 6"             | ₹40.4                    | 400 pkts          |
| 150 X 3.6          | 6"             | ₹64.19                   | 250 pkts          |
| 200 X 2.5          | 8"             | ₹56.61                   | 350 pkts          |
| 200 X 3.6          | 8"             | ₹81.14                   | 200 pkts          |
| 200 X 4.8          | 8"             | ₹115.17                  | 150 pkts          |
| 200 X 7.6          | 8"             | ₹205.26                  | 60 pkts           |
| 250 X 3.6          | 10"            | ₹109.44                  | 200 pkts          |
| 250 X 4.8          | 10"            | ₹145.39                  | 130 pkts          |
| 300 X 3.6          | 12"            | ₹126.44                  | 150 pkts          |
| 300 X 4.8          | 12"            | ₹177.38                  | 120 pkts          |
| 300 X 7.6          | 12"            | ₹306.09                  | 60 pkts           |
| 350 X 4.8          | 14"            | ₹207.15                  | 100 pkts          |
| 400 X 4.8          | 16"            | ₹237.86                  | 90 pkts           |
| 400 X 7.6          | 16"            | ₹408.01                  | 50 pkts           |
| 450 X 4.8          | 18"            | ₹275.47                  | 80 pkts           |
| 450 X 7.6          | 18"            | ₹479.38                  | 50 pkts           |
| 500 X 4.8          | 20"            | ₹384.56                  | 60 pkts           |
| 530 X 7.6          | 22"            | ₹593.08                  | 40 pkts           |



### CERTIFICATIONS



Discount Applicable depending on Quantity = %

1 Packet contains 100 pieces

+GST18% tax (HSN – 39239090)

### Properties of Rightlock Nylon Cable Ties

- Material: UL 94-V2 Polyamide 6.6
- Color: White & Black in Ready stock.
- Other colors can be manufactured as per order.
- Operating Temperature: -10 to +85°C
- Test/Tensile Report can be provided

### Unique Features

- CE, ROHS & ISO Certified
- Made in India
- High Tensile strength
- Cost competitive
- UV Resistant
- Heat Stabilized, Fire Retardant, Colored Cable Ties are also manufactured.

India's No#1 Manufacturer of Stainless Steel Cable Ties



### Stainless Steel SS304 Roller Ball Lock Type Cable Ties Uncoated Price List

| Size (mm)<br>Length x Width | Size (inch)<br>Length | List Price<br>Per Packet |
|-----------------------------|-----------------------|--------------------------|
| 100X4.6                     | 4"                    | 270                      |
| 150X4.6                     | 6"                    | 309                      |
| 200X4.6                     | 8"                    | 347                      |
| 250X4.6                     | 10"                   | 366                      |
| 300X4.6                     | 12"                   | 405                      |
| 360X4.6                     | 14"                   | 467                      |
| 400X4.6                     | 16"                   | 497                      |
| 450X4.6                     | 18"                   | 538                      |
| 500X4.6                     | 19.5"                 | 585                      |
| 680X4.6                     | 27"                   | 910                      |
| 840X4.6                     | 33"                   | 1202                     |
| 1000X4.6                    | 39"                   | 1350                     |

Discount Applicable depending on Quantity = \_\_ %

#### Technical Features

- 1 Packet contains 100 pieces
- Temperature range: -80°C to +550°C
- Fireproof, UV resistant, Acid & Corrosion Resistant
- Ball-locking mechanism for easy use
- High tensile strength & Non-flammable
- Made in India
- Stainless Steel SS304 Material
- SS316, Other Lengths & Widths available on Request

• [DOWNLOAD CATALOG  
OF SS CABLE TIES](#)



### Stainless Steel SS304 Roller Ball Lock Type Cable Ties Coated Price List

| Size (mm)<br>Length x Width | Size (inch)<br>Length | List Price<br>Per Packet |
|-----------------------------|-----------------------|--------------------------|
| 100X4.6                     | 4"                    | 456                      |
| 150X4.6                     | 6"                    | 494                      |
| 200X4.6                     | 8"                    | 570                      |
| 250X4.6                     | 10"                   | 628                      |
| 300X4.6                     | 12"                   | 686                      |
| 360X4.6                     | 14"                   | 728                      |
| 400X4.6                     | 16"                   | 776                      |
| 450X4.6                     | 18"                   | 844                      |
| 500X4.6                     | 19.5"                 | 1300                     |
| 680X4.6                     | 27"                   | 1675                     |
| 840X4.6                     | 33"                   | 1950                     |
| 1000X4.6                    | 39"                   | 2200                     |

Discount Applicable depending on Quantity = \_\_ %

#### Technical Features

- 1 Packet contains 100 pieces
- Temperature range: -80°C to +150°C
- Fireproof, UV resistant, Acid & Corrosion Resistant
- Non-toxic, Halogen free, Low smoke
- Ball-locking mechanism for easy use
- High tensile strength & Non-flammable
- Made in India
- Stainless Steel SS304 Material
- SS316, Other Lengths & Widths available on Request

#### TERMS:

- This Price List supersedes Earlier Price Lists.
- Freight shall be charged extra at actual or freight to pay.
- Prices & terms are subject to change without prior notice.
- Taxes Gst 18% Extra

