




**TARGET**



Manufactured by :  
**TARGET ELECTRICALS**

All rights reserve to change in design,model ,dimension and material are with manufacturer . Colours shown in the picture may not match with the actual colours.

Trusted Name in indication Industry



**Electronic Hooter with Variable Tone (96mmx96mm)**

**Housing** : Acrylonitrile Butadiene Styrene  
**Audible Range** : 100 db Approx. (at 1 Meter )  
**Mounting** : Flush/Base/Wall  
**Tone** : Black Cabinet- Intermittent / Red Cabinet- Siren  
**Input Voltage** : 12V/24/30V/48/50V DC/110V/230V AC or DC

**Tone : Intermittent**

Description	Model No.
Flush Mounting	96-EHS
Base Mounting	96-EHS-B
Wall Mounting	96-EHS-W
Potential Free Contact	96-EHP
With 5mm LED	96-EHL
With Volume Control	96-EHV
With Volume & LED	96-EHVL
With Acceptance	96-EHA
With Volume & Acceptance	96-EHVA

**Tone : Siren**

Electronic Hooter	96-EHS-S3
Electronic Hooter with Volume Control	96-EHV-S3

**Tone : Musical**

Electronic Hooter	96-EHM
Electronic Hooter with Volume Control	96-EHMV

**Universal Input Voltage**

Electronic Hooter	24V to 250V AC/DC	96-EHU
-------------------	-------------------	--------

Volume control & Acceptance version available on request



**Electronic Hooter with Selectable Tone (72mm x 72mm)**

**Housing** : Acrylonitrile Butadiene Styrene  
**Audible Range** : 90 db Approx. (at 1 Meter )  
**Mounting** : Flush/Base/Wall  
**Tone** : Selectable 3 Tone  
**Input Voltage** : 12V/24/30V/48/50V DC/110V/230V AC or DC

Description	Model No.
Flush Mounting	72-EHS
Base Mounting	72-EHS-B
Wall Mounting	72-EHS-W



**Electronic Hooter- Variable Tone 144mm x 144mm**

**Housing** : M.S. with Powder Coating  
**Audible Range** : 107 db Approx.(at 1 meter)  
**Mounting** : Base  
**Tone** : Intermittent/Siren  
**Input Voltage** : 12V/24/30V/48/50V DC/110V/230V AC or DC

**Sound : Intermittent**

Description	Model No.
Electronic Hooter with 10mm LED	144-EHL
Potential Free Contact	144-EHP

**Sound : Siren**

Electronic Hooter with 10mm LED	144-EHL-S3
---------------------------------	------------



**Industrial Gong Bell**

**Housing** : Cast Aluminium  
**Gong Size** : 4"/6"/9"/12"  
**Gong** : M. S. with Powder Coating  
**Input Voltage** : 230V AC

Gong Size	Model No.
4"	4-HGB
6"	6-HGB
9"	9-HGB
12"	12-HGB

**Electronic Siren with Revolving Light**

**Housing** : M. S. with Powder Coating  
**Audible Range** : 0.5km  
**Mounting** : Base  
**Tone** : Siren  
**Housing** : Acrylonitrile Butadiene Styrene  
**Glass** : Polycarbonate  
**Glass Colour** : Red, Green, Blue, Yellow, White  
**Revolving** : LED Version  
**Input Voltage** : 12V/24/30V/48/50V DC/110V/230V AC  
*\*Please Confirm availability of Glass Colour\**

Description	Model No.
0.50km	ESTV-50-LR



**Electrical Square Buzzer**

**Housing** : Cast Aluminium  
**Cover** : Plastic  
**Size** : Base Mounting (52mm x 52mm approx.)  
**Input Voltage** : 110V/230V AC

Model No.
2-MB



**Industrial Round Hooter AC Supply**

**Housing** : Cast Aluminium  
**Cover** : Plastic  
**Size** : 4" (Base Mounting 95mm approx.)  
**Input Voltage** : 110V/230V AC

Description	Model No.
Mini Base Mounting	4-RBM



Standard Voltage	12	24	48	110	230	415									
							A 1	A 2	A 3	A 4	A 5	A 6			
For AC															
For DC	D 1	D 2	D 3	D 4	D 5	-									

Add Suffix to above model







